

### 3 . 誌上発表及び口頭発表

#### 3.1 誌上発表(査読あり)

- Cho K., Agrawal G.K., Jwa N.-S., Shibato J., Torres N.L., Kubo A., Rakwal R. (2009) Rice OsSIPK: A central component of ozone-triggered physiological responses. *Plant Signaling Behav.*, 4 (5), 448-450
- Cho K., Agrawal G.K., Jwa N.-S., Kubo A., Rakwal R. (2009) Rice OsSIPK and its orthologs: A "central master switch" for stress responses. *Biochem.Biophys.Res.Comm.*, 379 (3), 649-653
- Demura M., Kasai F., Watanabe M.M., Kawachi M. (2009) Taxonomic revision of *Chattonella antiqua*, *C. marina* and *C. ovata* (Raphidophyceae) based on their morphological characteristics and genetic diversity. *Phycologia*, 48 (6), 518-535
- Ishii Y., Harigae S., Tanimoto S., Yabe T., Yoshida T., Taki K., Komatsu N., Watanabe K., Negishi M., Tatsumoto H. (2009) Spatial variation of phosphorus fractions in bottom sediments and the potential contributions to eutrophication in shallow lakes. *Limnology*, 11 (1), 5-16
- Jang S., Cho K., Shibato J., Han O., Iwahashi H., Tamogami S., Zarger S.M., Kubo A., Masuo Y., Agrawal G.K., Rakwal R. (2009) Rice OsOPRs: Transcriptional profiling responses to diverse environmental stimuli and biochemical analysis of OsOPR1. *J.Plant Biol.*, 52 (3), 229-243
- Kondo N., Yamanaka D., Kanbe Y., Kunitake Y., Yoneda M., Tsuchida K., Goka K. (2009) Reproductive disturbance of Japanese bumblebees by the introduced European bumblebee *Bombus terrestris*. *Naturwissenschaften*, 96 (4), 467-475
- 高村健二 (2009) 固有種に富む琵琶湖からの侵入種 - 関東の陸水からの視点 - . *陸水学雑誌*, 70, 249-253
- Tanabe Y., Sano T., Kasai F., Watanabe M.M. (2009) Recombination, cryptic clades and neutral molecular divergence of the microcystin synthetase(myc) genes of toxic cyanobacterium *Microcystis aeruginosa*. *BMC Evol.Biol.*, 9
- Tsutsui T., Kato W., Asada Y., Sako K., Sato T., Sonoda Y., Kidokoro S., Yamaguchi-Shinozaki K., Tamaoki M., Arakawa K. et al. (2009) DEAR1, a transcriptional repressor of DREB protein that mediates plant defense and freezing stress responses in *Arabidopsis*. *J.Plant Res.*, 122 (6), 633-643
- 上野隆平, 佐竹潔 (2009) 小笠原諸島父島・母島のユスリカ相. *陸水学雑誌*, 70 (1), 21-29
- Yabe T., Ishi A., AMANO Y., KOGA T., (2009) Green tide formed by free-floating *Ulva* spp. at Yatsu tidal flat, Japan. *Limnology*, 10 (3), 239-245
- Yoshida S., Tamaoki M., Ogawa D., Aono M., Kubo A., Saji H., Nakajima N. (2009) Protective effects of ethylene and salicylic acid against ozone exposure in *Arabidopsis*. *J.Jpn.Soc.Atmos.Environ.*(大気環境学会誌), 44 (1), 9-15
- Yoshida S., Tamaoki M., Ioki M., Ogawa D., Sato Y., Aono M., Kubo A., Saji S., Saji H., Satoh S., Nakajima N. (2009) Ethylene and salicylic acid control glutathione biosynthesis in ozone-exposed *Arabidopsis thaliana*. *Physiol.Plant.*, 136 (3), 284-298
- Amanuma K., Nakajima N., Hashimoto A.H., Aoki Y. (2008) Genetically modified red fluorescent zebrafish: detection crossing, inheritance of red fluorescence, and tolerance to low temperatures. *J.Environ.Biotechnol.*, 8 (2), 105-110
- Chen J., Shen M., Zhu X., Tang Y. (2008) Indicator of flower status derives from in situ hyperspectral measurement in an alpine meadow on the Tibetan Plateau. *Ecol.Indic.*, 9 (4), 818-823
- Chen.J., Yamamura Y., Hori Y., Shiyomi M., Yasuda T., Zhou H., Li Y., Tang Y. (2008) Small-scale species richness and its spatial variation in an alpine meadow on the Qinghai-Tibet Plateau. *Ecol.Res.*,

- Cho K., Shibato J., Agrawal G.K., Jung Y.-H., Kubo A., Jwa N.-S., Tamogami S., Satoh K., Kikuchi S., Saji H. et al. (2008) Integrated transcriptomics, proteomics, and metabolomics analyses to survey ozone responses in the leaves of rice seedling. *J. Proteome Res.*, 7 (7), 2980-2998
- Hoewyk D.V., Takahashi H., Inoue E., Hess A., Tamaoki M., Pilon-Smits E.A.H. (2008) Transcriptome analyses give insights into selenium-stress responses and selenium tolerance mechanisms in *Arabidopsis*. *Physiol. Plant.*, 132(2), 236-253
- 石井裕一, 小松伸行, 張替慧, 矢部徹, 渡邊圭司, 根岸正美, 岩崎順 (2008) 霞ヶ浦におけるコイ養殖漁場底泥中の形態別リン分布の特徴. *日本水産学会誌*, 74 (4), 607-614
- 伊藤祥子, 広木幹也, 小林隆人, 谷本丈夫 (2008) 駒止湿原の集水域における耕作地造成のための森林伐採が湿原内のヨシ群落高におよぼす影響. *保全生態学研究*, 13, 17-27
- Lee M.-O., Cho K., Kim S.-H., Jeong S.-H., Kim J.-A., Jung Y.-H., Shim J., Shibato J., Rakwal R., Kubo A. et al. (2008) Novel rice OsSIPK is a multiple stress responsive MAPK family member showing rhythmic expression at mRNA level. *Planta*, 227, 981-990
- Nagata H. (2008) Extinction, the causes of extinction and the conservation of biodiversity. *J. Disaster Res.*, 3 (3), 166-173
- Nikoh N., Tanaka K., Shibata F., Kondo N., Hizume M., Shimada M., Fukatsu T. (2008) *Wolbachia* genome integrated in an insect chromosome: Evolution and fate of laterally transferred endosymbiont genome. *Genome Res.*, 18, 272-280
- Ohtuka T., Hirota M., Zhang X., Shimono A., Du M., Yonemura S., Kawashima S., Tang Y. (2008) Soil organic carbon pools in alpine to nival zones along an altitudinal gradient(4400-5300m) on the Tibetan Plateau. *Polar Sci.*, 2 (4), 277-285
- Shen M., Tang Y., Klein J., Zhang P., Gu S., Shimono A., Chen J. (2008) Estimation of aboveground biomass using in situ hyperspectral measurements in five major grassland ecosystems on the Tibetan Plateau. *J. Plant Ecol.*, 1 (4), 247-257
- Takeda T., Oguma H., Sano T., Yone Y., Fujinuma Y. (2008) Estimating the plant area density of a Japanese larch(*Larix kaempferi* Sarg.) plantation using a ground-based laser scanner. *Agric. For. Meteorol.*, 148, 428-438
- Tamaoki M. (2008) The role of phytohormon signaling in ozone-induced cell death in plants. *Plant Signaling Behav.*, 3 (3), 166-174
- Tamaoki M., Freeman J.L., Marques L., Pilon-Smits E.A.H. (2008) New insights into the roles of ethylene and jasmonic acid in the acquisition of selenium resistance in plants. *Plant Signaling Behav.*, 3 (10), 865-867
- Tamaoki M., Freeman J.L., Pilon-Smits Elizabeth A.H. (2008) Cooperative ethylene and jasmonic acid signaling regulates selenite resistance in *Arabidopsis*. *Plant Physiol.*, 146(3), 1219-1230
- Tsutsumi T., Asada Y., Tamaoki M., Ikeda A., Yamaguchi J. (2008) *Arabidopsis* CAD1 negatively controls plant immunity mediated by both salicylic acid-dependent and -independent signaling pathways. *Plant Sci.*, 175 (4), 604-611
- Veyres N., Danon A., Aono M., Galliot S., Karibasappa Y.B., Diet A., Gramdmottet F., Tamaoki M., Lesur D., Pilard S. et al. (2008) The *Arabidopsis* sweetie mutant is affected in carbohydrate metabolism and defective in the control of growth, development and senescence. *Plant J.*, 55, 665-686
- Yu Q., Jiang J., Tang Y. (2008) Calibration of Terra/MODIS gross primary production over an irrigated

- cropland on the North China Plain and an alpine meadow on the Tibetan Plateau. *Global Change Biol.*, 14 (4), 1-11
- Cui X., Gu S., Zhao X., Wu J., Kato T., Tang Y. (2007) Diurnal and seasonal variations of UV radiation on the northern edge of the Qinghai-Tibetan Plateau. *Agric.Forest Meteorol.*, 148(1), 144-151
- Eguchi K., Yamaguchi N., Ueda K., Nagata H., Takagi M., Noske R. (2007) Social structure and helping behaviour of the Grey-crowned Babbler *Pomatostomus temporalis*. *J.Ornithol.*, 148(2), 203-210
- Hirota M., Kawada K., Hu Q., Kato T., Tang Y., Mo W., Cao G., Mariko S. (2007) Net primary productivity and spatial distribution of vegetation in an alpine wetland, Qinghai-Tibetan Plateau. *Limnology*, 8, 161-170
- Ishihama F., Washitani I. (2007) Behavior of queen bumblebee pollinators on *Primula sieboldii* (Primulaceae) in response to different patch sizes and spacing. *Plant Spec.Biol.*, 22, 167-174
- Nagai S., Koide M., Takahashi S., Kikuta A., Aono M., Sasaki-Sekimoto Y., Ohta H., Takamiya K., Masuda T. (2007) Induction of isoforms of tetrapyrrole biosynthetic enzymes, AtHEMA2 and AtFC1, under stress conditions and their physiological functions in *Arabidopsis thaliana*. *Plant Physiol.*, 144, 1039-1051
- Noda H., Muraoka H., Tang Y., Washitani I. (2007) Phenological changes in rate of respiration and annual carbon balance in a perennial herbaceous plant, *Primula sieboldii*. *J.Plant Res.*, 120(3), 375-383
- Sakaki T., Kato T., Saji H. (2007) Lipid acyl-hydrolase in leaves of different kidney bean (*Phaseolus vulgaris* L.) cultivars: Purification and characterization of a kidney bean lipid acyl-hydrolase, and foliar lipid changes in the cultivars with ozone exposure. *Plant Sci.*, 172, 462-472
- 高村健二 (2007) 分布確認地点にもとづくメダカ生息適地推定. *保全生態学研究*, 12, 112-117
- Takamura K. (2007) Performance as a fish predator of largemouth bass [*Micropterus salmoides* (Lacepede)] invading Japanese freshwaters: a review. *Ecol.Res.*, 22, 940-946
- Torres N.L., Cho K., Shibato J., Hirano M., Kubo A., Masuo Y., Iwahashi H., Jwa N.-S., Agrawal G.K., Rakwal R. (2007) Gel-based proteomics reveals potential novel protein markers of ozone stress in leaves of cultivated bean and maize species of Panama. *Electrophoresis*, 28, 4369-4381
- Yoshida T., Goka K., Ishihama F., Ishihara M., Kudo S.-i. (2007) Biological invasion as a natural experiment of the evolutionary processes: introduction of the special feature. *Ecol.Res.*, 22, 849-854
- Zhang Y., Liu C., Tang Y., Yang Y. (2007) Trends in pan evaporation and reference and actual evapotranspiration across the Tibetan Plateau. *J.Geophys.Res.*, 112, D12110
- Zhang Y.Q., Tang Y., Jiang J., Yang Y. (2007) Characterizing the dynamics of soil organic carbon in grasslands on the Qinghai-Tibetan Plateau. *Sci.China Ser.D-Earth Sci.*, 50(1), 113-120
- Aono M., Wakiyama S., Nagatsu M., Nakajima N., Tamaoki M., Kubo A., Saji H. (2006) Detection of feral transgenic oilseed rape with multiple-herbicide resistance in Japan. *Environ.Biosafety Res.*, 5(2), 77-87
- Cai Y., Ng P.K.L., Shokita S., Satake K. (2006) On the species of Japanese atyid shrimps (Decapoda: Caridea) described by William Stimpson (1860). *J.Crustacean Biol.*, 26(3), 392-419

- Fang J., Brown S., Tang Y., Nabuurs G.-J., Wang X., Shen H. (2006) Overestimated biomass carbon pools of the Northern mid-and high latitude forests. *Clim.Change*, 74, 355-368
- Fujibe T., Saji H., Watahiki W.K., Yamamoto K.T. (2006) Overexpression of the radical-induced cell death1(RCD1) gene of *Arabidopsis* causes weak rcd1 phenotype with compromised oxidative-stress responses. *Biosci.Biotechnol.Biochem.*, 70, 1827-1831
- Ishihama F., Ueno S., Tsumura Y., Washitani I. (2006) Effects of density and floral morph on pollen flow and seed reproduction of an endangered heterostylous herb, *Primula sieboldii*. *J.Ecol.*, 94, 846-855
- Li Y.-N., Wang Q.-X., Du M.-Y., Zhao L., XU S.-X., Tang Y., Zhao X.-Q., Yu G. (2006) A study on replenishment and decomposition of organic matter in and mat-cryic cambisols CO<sub>2</sub> flux between vegetation and atmosphere. *Acta Agrestia Sin.(Chinese)*, 14(2), 165-169
- Li Y.-N., Zhao L., Xu S.-X., Yu G.-R., Du M.-Y., Wang Q.-X., Sun X.-M., Tang Y., Zhao X.-Q., Gu S. (2006) Plant community structure and ecological characteristics of the alpine wetland in haibei area of qilian mountains. *J.Glaciol.Geocryol.(Chinese)*, 28(1), 76-84
- Nagata H. (2006) Reevaluation of the prevalence of blood parasites in Japanese Paserines by using PCR based molecular diagnostics. *Ornithological Sci.*, 5(1), 105-112
- 多田満 (2006) 公害. 陸水の事典(日本陸水学会編,講談社,578p.), 138
- 多田満 (2006) 濃縮係数. 陸水の事典(日本陸水学会編,講談社,578p.), 379
- 多田満 (2006) 農薬汚染. 陸水の事典(日本陸水学会編,講談社,578p.), 380
- 多田満 (2006) R.Carson「沈黙の春」と有吉佐和子「複合汚染」にみられる化学物質の生態への影響. *文学と環境*, 9, 47-53
- Tanaka Y., Sano T., Tamaoki M., Nakajima N., Kondo N., Hasezawa S. (2006) Cytokinin and auxin inhibit abscisic acid-induced stomatal closure by enhancing ethylene production in *Arabidopsis*. *J.Exp.Bot.*, 57(10), 2259-2266
- Yoshida S., Tamaoki M., Shikano T., Nakajima N., Ogawa D., Ioki M., Aono M., Kubo A., Kamada H., Inoue Y., Saji H. (2006) Cytosolic dehydroascorbate reductase is important for ozone tolerance in *Arabidopsis thaliana*. *Plant Cell Physiol.*, 47(2), 304-308
- Zhao L., Xu S.-X., Li Y.-N., Tang Y., Zhao X.-Q., Gu S., Du M.-Y., Yu G.-R. (2006) Relations between carbon dioxide fluxes and environmental factors of kobresia humilis meadows and potentilla fruticosa meadows. *Acta Bot.Borealiil-Occidentalia Sin.(Chinese)*, 26(2), 133-142
- Jiang C.-J., Aono M., Tamaoki M., Maeda S., Sugano S., Mori M., Takatsuji H. (2008) SAZ, a new SUPERMAN-like protein, negatively regulates a subset of ABA-responsive genes in *Arabidopsis*. *Mol.Genet.Genomics*, 279, 183-192
- Saji S., Bathula S., Kubo A., Tamaoki M., Kanna M., Aono M., Nakajima N., Nakaji T., Takeda T., Saji H. et al. (2008) Disruption of a gene encoding C4-dicarboxylate transporter-like protein increases ozone sensitivity through deregulation of the stomatal response in *Arabidopsis thaliana*. *Plant Cell Physiol.*, 49(1), 2-10
- Higa A., Kasai F., Kawachi M., Kumano S., Sakayama H., Miyashita M., Watanabe M.M. (2007) Seasonality of gametophyte occurrence, maturation and fertilization of the freshwater red alga *Thorea okadae*(Thoreaales, Rhodophyta) in the Kikuchi River, Japan. *Phycologia*, 46, 160-167
- Koshikawa H., Xu K.-Q., Liu Z.-L., Kohata K., Kawachi M., Maki H., Zhu M.-Y., Watanabe M. (2007) Effect of the water-soluble fraction of diesel oil on bacterial and primary production and the trophic

- transfer to mesozooplankton through a microbial food web in Yangtze estuary, China. *Estuar., Coast. Shelf Sci.*, 71, 68-80
- Cho K., Kim D.-W., Jung Y.-H., Shibato J., Tamogami S., Yonekura M., Jwa N.-S., Kubo A., Agrawal G.K., Rakwal R. (2007) Light/dark responsiveness of kinetin-inducible secondary metabolites and stress proteins in rice leaf. *J. Crop Sci. Biotechnol.*, 10(2), 112-116
- 金田彰二, 倉西良一, 石綿進一, 東城幸治, 清水高男, 平良裕之, 佐竹潔 (2007) 日本における外来種フロリダマミズヨコエビ(*Crangonyx floridanus* Bousfield)の分布の現状. *陸水学雑誌*, 68, 449-460
- Hiroki M., Nohara S., Hanabishi K., Utagawa H., Yabe T., Satake K. (2007) Enzymatic evaluation of decomposition in mosaic landscapes of a tidal flat ecosystem. *Wetlands*, 27, 399-405
- Paperna I., Soh M.C.-K., Yap C.A.-M., Sodhi N.S., Lim S.L.-H., Prawiradilaga D.M., Nagata H. (2006) Blood parasite prevalence and abundance in the bird communities of several forested locations in Southeast Asia. *Ornithol. Sci.*, 4(2), 129-138
- Ohmura Y., Kawachi M., Kasai F., Watanabe M.M., Takeshita S. (2006) Genetic combinations of symbionts in a vegetatively reproducing lichen, *Parmotrema tinctorum*, based on ITS rDNA sequences. *Bryologist*, 109(1), 43-59
- Tamaoki M., Imai H., Toda Y., Niwa Y., Nakajima N., Kubo A., Aono M., Saji H. (2006) Development of visual markers for transgenic plants and their availability for environmental risk assessment. *Z. Naturforsch. C*, 61c, 377-386
- Shen H., Tang Y., Washitani I. (2006) Morphological plasticity of *Primula nutans* to hummock-and-hollow microsites in an alpine wetland. *J. Plant Res.*, 119, 257-264
- Hirota M., Tang Y., Hu Q., Hirata S., Kato T., Mo W., Cao G., Mariko S. (2006) Carbon dioxide dynamics and controls in a deep-water wetland on the Qinghai-Tibetan Plateau. *Ecosystems*, 9, 673-688
- Kato T., Tang Y., Gu S., Hirota M., Du M., Li Y., Zhao X. (2006) Temperature and biomass influences on interannual changes in CO<sub>2</sub> exchange in an alpine meadow on the Qinghai-Tibetan Plateau. *Global Change Biol.*, 12, 1285-1298
- Li Y.-N., Du M.-Y., Tang Y., Zhao L., Wang Q.-S., Zhao X.-Q., Gu S. (2006) UV-B changing characteristics of alpine meadow area at haibei station in qiliang mountain. *J. Arid Land Resour. (Chinese)*, 20(3), 79-84

### 3.2 誌上発表(査読なし)

- 多田満 (2010) レイチェル・カーソン「海辺」における生態と進化の見方(2) - 三番瀬のフジツボとタマキビを例に(その1) - . *しおかぜ*, (43), 2-3
- 佐治光 (2009) 大気汚染障害と耐性のメカニズム. *大気環境学会誌*, 44 (6), 390-391
- 多田満 (2009) レイチェル・カーソン「海辺」における生態と進化の見方 和白干潟のウミナナ類を例に. *しおかぜ*, (41), 2
- 多田満 (2009) 「生態学」講義 - ネイチャーライティングの関わりから. *ASLE-Jpn. Newslett.*, (27), 15-16
- 多田満 (2009) 河川における低濃度の残留農薬が水生昆虫に及ぼす生態影響に関する研究. *水辺の輪*, (27), 1-9
- 竹中明夫 (2009) 自然界に異変・・・これも温暖化のせい?. *人間会議*, (12月15日), 190-195
- 上野隆平 (2009) 生きもののつながり雑学コーナー ユスリカ. *私たちの自然*, 50 (549), 24
- 永田尚志 (2008) 幻の鳥, オオセッカ. *私たちの自然*, 49 (536), 2-5

- 永田尚志 (2008) 生態図鑑：ウチヤマセンニューウ. Bird Res.News, 5 (5), 2-3
- Nunomura N., Satake K., Ueno R. (2008) A new species of the genus *Spherillo*(Crustacea: Isopoda) from Hahajima, Bonin Islands, southern Japan. Bull. Toyama Sci. Mus., 31, 45-50
- 竹中明夫 (2008) 温暖化する地球で生き物はどこへ行くのか Where do Plants and Animals go on the Warming Earth?. 環境研究, (148), 25-30
- Veyres N., Aono M., Sangwan-Norreeel B.S., Sangwan R.S. (2008) Has Arabidopsis SWEETIE protein a role in sugar flux and utilization?. Plant Signaling Behav., 3 (9), 722-725
- 今藤夏子 (2007) 蝶とボルバキア - 細菌による性比や生殖の操作 - . Butterflies, 46, 24-31
- 永田尚志 (2007) 鳥類は環境変化の指標となるか?. 保全鳥類学(山岸哲編著, 京都大学学術出版会, 393p.), 211-232
- 佐治光, 佐治章子 (2007) 植物の環境ストレス耐性機構の解析. 電気評論, 92(10), 68-69
- 佐竹潔, 上野隆平 (2007) 小笠原の無脊椎動物・川のエビ(2). 季刊誌 i-Bo, 18, 20-21
- Satake K., Kuranishi R.B. (2007) Further studies on caddisflies(Insecta: Trichoptera) collected from the Bonin Islands and the Izu Archipelago, Japan. Bueno-Soria J., Barba-Alvarez R., Armitage B. eds., Proc. 12th Int. Symp. Trichoptera, Caddis Pr., 378p
- 竹中明夫 (2007) 自然と未永く付き合うためのシナリオとモニタリング. ランドスケープ研究, 71(3), 221-224
- Nunomura N., Satake K. (2006) A new species of the genus *Gnorimosphaeroma*(Crustacea, Isopoda) from Hahajima, Bonin Island, southern Japan. Bull. Toyama Sci. Museum, (29), 1-6
- 佐竹潔, 佐々木哲朗, 土屋光太郎 (2006) 小笠原諸島父島で確認されたヌノメカワニナ. ちりぼたん, 37(3), 112-117
- 多田満 (2006) 化学物質とネイチャーライティング. 環境学研究, 5, 2-10

### 3.3 書籍

- 竹中明夫 (2008) 木という生き方. 日本生態学会編, エコロジー講座 森の不思議を解き明かす, 文一総合出版, 16-25
- 多田満 (2007) 「沈黙の春」と化学物質. 上岡克己, 上遠恵子, 原強編著, レイチェル・カーソン, ミネルヴァ書房, 94
- Tamaoki M. (2007) Isolation of O<sub>3</sub>-response genes from *Arabidopsis thaliana* using cDNA macroarray. In: Martin C.C. ed. ed., Environmental Genomics, Humana Press, 29-42
- 石濱史子, 上野真義, 津村義彦, 鷲谷いづみ (2006) 遺伝子流動の実験的解明と個体群の遺伝的構造. 鷲谷いづみ編, サクラソウの分子遺伝生態学, 東京大学出版会, 193-218
- 北本尚子, 竹中明夫, 大澤良 (2006) 自然集団内におけるサクラソウの遺伝子流動. 鷲谷いづみ編, サクラソウの分子遺伝生態学, 東京大学出版会, 219-239

### 3.4 口頭発表

- 国外： 14件  
国内： 118件

### 招待講演：

- 佐治光 (2008) 植物のオゾン耐性機構についての分子遺伝学的研究 - シロイヌナズナのオゾン感受性突然変異体の解析. 第49回大気環境学会年会, 同講演要旨集, 178-179