

3.9 誌上発表及び口頭発表

3.9.1 誌上発表(査読あり)(重点PG全体の件数: 340件)

- Alam MS, Ohsako S, Matsuwaki T, Zhu XB, Tsunekawa N, Kanai Y, Sone H, Tohyama C, Kurohmaru M. (2010) Induction of spermatogenic cell apoptosis in prepubertal rat testes irrespective of testicular steroidogenesis: a possible estrogenic effect of di(n-butyl) phthalate. *Reproduction*. 139 (2), 427-37.
- Ohsako S, Fukuzawa N, Ishimura R, Kawakami T, Wu Q, Nagano R, Zaha H, Sone H, Yonemoto J, Tohyama C. (2010) Comparative Contribution of the Aryl Hydrocarbon Receptor Gene to Perinatal Stage Development and Dioxin-Induced Toxicity Between the Urogenital Complex and Testis in the Mouse. *Biol. Reproduct.* in press
- Kobayashi J., Sakurai T., Suzuki N. (2010) Transfer of polychlorinated biphenyls from marine sediment to a benthic fish (*Pleuronectes yokohamae*). *J. Environ. Monit.*, in press, DOI:10.1039/B918327B
- Kobayashi J., Serizawa S., Sakurai T., Imaizumi Y., Suzuki N., Horiguchi T. (2010) Spatial distribution and partitioning of polychlorinated biphenyls in Tokyo Bay, Japan. *J. Environ. Monit.*, in press, DOI:10.1039/B925541A
- Sone H, Okura M, Zaha H, Fujibuchi W, Taniguchi T, Akanuma H, Nagano R, Ohsako S, Yonemoto J. (2010) Profiles of Chemical Effects on Cells (pCEC): a toxicogenomics database with a toxicoinformatics system for risk evaluation and toxicity prediction of environmental chemicals. *J Toxicol Sci.* 35 (1), 115-23.
- Aoki Y. (2009) A problem of climate change as seen by a pharmaceutical researcher. *J. Health Sci.*, 55 (6), 857-859
- Aoki Y. (2009) Zebrafish in education/Materials for zebrafish research outreach activities in National Institute for Environmental Studies, Japan. *Zebrafish*, 6 (2), 127-132
- Endo O., Matsumoto M., Inaba Y., Sugita K., Nakajima D., Goto S., Ogata H., Suzuki G. (2009) Nicotine, tar, and mutagenicity of mainstream smoke generated by machine smoking with International Organization for Standardization and Health Canada Intense regimens of major Japanese cigarette brands. *J. Health Sci.*, 55 (3), 421-427
- Kamata R., Shiraishi F., Izumi T., Takahashi S., Shimizu A., Shiraishi H. (2009) Mechanisms of estrogen-induced effects in avian reproduction caused by transovarian application of a xenoestrogen, diethylstilbestrol, *Arch. Toxicol.*, 83 (2), 161-171
- Kamata R., Shiraishi F., Takahashi S., Shimizu A., Shiraishi H. (2009) Reproductive and developmental effects of transovarian exposure to o,p'-DDT in Japanese quails, *Environ. Toxicol. Chem.* 28(4), 782-790
- 鎌田亮, 白石不二雄, 中島大介, 影山志保, 大谷仁己, 大金仁一, 生嶋一貴, 白石寛明, 鈴木規之 (2009) 各種受容体導入酵母アッセイを用いた河川水の曝露モニタリング:茨城県と東京都を例として. *J. Environ. Chem.*, 19 (4), 509-517
- Kitamura K., Sakurai T., Choi J-W., Kobayashi J., Imaizumi Y., Suzuki N., Morita M. (2009) Particle-size fractionated transfer of dioxins from sediments to water columns by resuspension process. *Environ. Pollut.*, 157 (7), 2159-2165
- Goto S., Nagaosa D., Kageyama S., Nakajima D., Mineki S., Yamamura T., Endo O., Kohzaki K., Takagi Y. (2009) Mutagenicity and PAH contents of soil in forests or planted areas in Japan. *Bull. Environ. Contam. Toxicol.*, 83, 742-746
- Sakurai T., Kobayashi J., Imaizumi Y., Suzuki N. (2009) Non-food-chain transfer of sediment-associated persistent organic pollutants to a marine benthic fish. *Mar.Pollut.Bull.*, 58 (7), 1072-1077
- 高橋美加, 松本真理子, 宮地繁樹, 菅野誠一郎, 菅谷芳雄, 平田睦子, 広瀬明彦, 鎌田栄一, 江馬眞 (2009) OECD 化学物質対策の動向(第15報) — 第25回、第26回 OECD 高生産量化学物質初期評価会議(2007年ヘルシンキ、2008年パリ). *Chemo-Bio Integrated Management*, 5 (2), 193-200
- Tatsuta, H., I. Yao and Y. Tanaka: Isolation of eight microsatellite markers from *Moina macrocopa* for assessing cryptic genetic structure in the wild. *Molecular Ecology Resources* 9: 904-906 (2009)
- Terasaki M., Kamata R., Shiraishi F., Makino M. (2009) Evaluation of estrogenic activity of parabens and their

- chlorinated derivatives by using the yeast two-hybrid assay and the enzyme-linked immunosorbent assay. Environ. Toxicol. Chem., 28 (1), 204-208
- Nakajima D., Tsukahara S., Hojo R., Kageyama S., Goto S., Shiraishi H., Shiraishi F., Fujimaki H. (2009) Measurement of toluene concentrations in the blood of fetuses of pregnant rats exposed to low concentration toluene using headspace-solid phase micro extraction-gas chromatography-mass spectrometry. J. Health Sci., 55 (1), 50-55
- 中川理緒, 加藤三和, 鎌迫典久, 有園幸司, 安原一哉 (2009) リサイクルタイヤチップの水生生物におよぼす影響. 第8回環境地盤工学シンポジウム発表論文集, 291-296
- Hashimoto A.H., Amanuma K., Iwasaki K., Aoki Y. (2009) Examination of integrated pML4 DNA transfer from genetically modified zebrafish to bacteria. J. Environ. Biotechnol., 9 (1), 31-36
- Hashimoto A.H., Amanuma K., Masumura K., Nohmi T., Aoki Y. (2009) In vivo mutagenesis caused by diesel exhaust in the testis of gpt delta transgenic mice. Genes Environ., 31 (1), 1-8
- 畠山成久, 小神野豊、菅谷芳雄(2009) ミミズ急性毒性試験法 (OECD ガイドライン 207) の検討、特に材料と方法に関して. Jpn. J. Environ. Toxicol., 12 (2), 135-143
- 松本真理子, 宮地繁樹, 菅谷芳雄, 広瀬明彦 (2009) OECD 高生産量化学物質点検プログラム : 第28回初期評価会議概要. Chemo-Bio Integrated Management, 5 (2), 201-209
- 松本理 (2009) メラミンによるペットの急性腎障害の原因はシアヌル酸との共結晶であった. ファルマシア, 45 (5), 469-471
- Mispagel C., Allinson G., Allinson M., Shiraishi F., Nishikawa M., Moore M.R. (2009) Observations on the estrogenic activity and concentration of 17 β -estradiol in the discharges of 12 wastewater treatment plants in southern Australia. Arch. Environ. Contam. Toxicol., 56 (4), 631-637
- Yoshimi T., Odagiri K., Yokobori S., Takahashi Y., Sugaya Y., Miura T. (2009) Induction profile of HSP70-cognate genes by environmental pollutants in Chironomidae. Environ. Toxicol. Pharmacol., 28 (2), 294-301
- 青木康展 (2008) 温室効果ガス排出大幅削減の実現方策「環境エネルギー技術革新計画」. ファルマシア, 44 (12), 1193-1198
- Amanuma K., Nakajima N., Hashimoto A.H., Aoki Y. (2008) Genetically modified red fluorescent zebrafish: detection crossing, inheritance of red fluorescence, and tolerance to low temperatures. J. Environ. Biotechnol., 8 (2), 105-110
- Amanuma K., Tone S., Masato N., Matsumoto M., Watanabe T., Totsuka Y., Wakabayashi K., Aoki Y. (2008) Mutagenicity of 2-[2-(acetylamino)-4-[bis(2-hydroxyethyl)amino]-5-methoxyphenyl]-5-amino-7-bromo-4-chloro-2H-benzotriazole (PBTA-6) and benzo[a]pyrene (BaP) in the gill and hepatopancreas of rpsL transgenic zebrafish. Mutat. Res., 656, 36-43
- Kakeyama M., Sone H., Tohyama C. (2008) Perinatal exposure of female rats to 2,3,7,8-tetrachlorodibenzo-p-dioxin induces central precocious puberty in the offspring. J Endocrinol. 197 (2), 351-8.
- Kato Y., Kobayashi K., Oda S., Colbourn J.K., Tatarazako N., Watanabe H., Iguchi T. (2008) Molecular cloning and sexually dimorphic expression of DM-domain genes in *Daphnia magna*. Genomics, 91, 94-101
- 中島大介, 塚原伸治, 影山志保, 白石不二雄, 藤巻秀和 (2008) 胎児・小児への影響を考慮した VOC 研究の現状と展開. Indoor Environ., 11 (2), 103-109
- 松本幸雄, 松本理 (2008) 環境リスクの諸側面—化学物質環境リスクを中心に—. Jpn. J. Biomet., 29 ((Spec.Issue 2)), S177-0
- 松本真理子, 山本展裕, 宮地繁樹, 菅谷芳雄, 江馬眞 (2008) OECD 高生産量化学物質点検プログラム: 第25回初期評価会議概要. Chemo-Bio Integrated Manag., 4 (1), 136-143
- 山本裕史, 関澤純, 鎌迫典久, 平井慈恵, 石橋弘志, 有園幸司 (2008) 医薬品類とパーソナルケア製品(PPCPs)の水棲生物への影響. 用水と廃水, 50 (7), 594-602
- Yasukawa T., Nagamine K., Horiguchi Y., Shiku H., Koide M., Itayama T., Shiraishi F., Matsue T. (2008) Electrophoretic

- cell manipulation and electrochemical gene-function analysis based on a yeast two-hybrid system in a microfluidic device,: Anal. Chem., 80(10), 3722-3727
- Aoki Y., Hashimoto A.H., Amanuma K., Matsumoto M., Hiyoshi K., Takano H., Masumura K-i., Itoh K., Nohmi T., Yamamoto M. (2007) Enhanced spontaneous and benzo(a)pyrene-induced mutations in the lung of Nrf2-deficient gpt delta mice. Cancer Res., 67 (12), 5643-5648
- 青木康展 (2007) ベンゼンはなぜ動物には有害か 毒性研究を広く自然界を見渡して考える. 科学, 77 (9), 986-989
- Kato Y., Kobayashi K., Oda S., Tatarazako O., Watanabe H., Iguchi T. (2007) Cloning and characterization of the ecdysone receptor and ultraspiracle protein from the water flea Daphnia magna. J. Endocrinol., 193, 183-194
- Li L., Shoji W., Takano H., Nishimura N., Aoki Y., Takahashi R., Goto S., Kaifu T., Takai T., Obinata M. (2007) Increased susceptibility of MER5 (peroxiredoxin III) knockout mice to LPS-induced oxidative stress. Biochem. Biophys. Res. Commun., 355, 715-721
- 高橋美加, 松本真理子, 川原和三, 菅野誠一郎, 菅谷芳雄, 広瀬明彦, 鎌田栄一, 江馬眞 (2007) OECD 化学物質対策の動向(第 12 報)-第 20 回, 第 21 回 OECD 高生産量化学物質初期評価会議(2005 年パリ, ワシントン DC)-. Chemo-Bio Integrated Manag., 3(1), 43-55
- Tatarazako N., Katoh M., Kadokami K. (2007) Evaluation of environmental impact of tire chips by bioassay. 環境毒性学会誌, 10 (2), 77-79
- Tatarazako N., Oda S. (2007) The water flea Daphnia magna(Crustacea,Cladocera) as a test species for screening and evaluation of chemicals with endocrine disrupting effects on crustaceans. Ecotoxicology, 16, 197-203
- Tanaka J., Yonemoto J., Zaha H., Kiyama R., Sone H. (2007) Estrogen-responsive genes newly found to be modified by TCDD exposure in human cell lines and mouse systems. Mol. Cell. Endocrinol. 272, 38-49
- 中島孝幸, 藤原好, 若林明子, 山崎邦彦 (2007) 東京湾海水中の金属濃度. 水環境学会誌, 30 (1), 45-47
- 松本真理子, 山本展裕, 宮地繁樹, 菅谷芳雄, 江馬眞 (2007) OECD 高生産量化学物質点検プログラム : 第 24 回初期評価会議概要. Chemo-Bio Integrated Manag., 3, 180-189
- 松本真理子, 大井恒宏, 宮地繁樹, 菅谷芳雄, 江馬眞 (2007) OECD 高生産量化学物質点検プログラム : 第 23 回初期評価会議概要. Chemo-Bio Integrated Manag., 3(1), 56-65
- Manabe T., Takahashi Y., Yoshimi T., Miura T., Sugaya Y. (2007) Development of an acute toxicity test for first-instar-larvae of a Midge (Chironomus yoshimatsui) using a Teflon Sheet. Jpn.J.Envnron.Toxicol., 10 (1), 51-57
- 山崎邦彦 (2007) 亜鉛の水生生物保全環境基準設定に向けたリスク評価と管理方策の検討. Jpn. J. Risk Anal., 17(2), 67-76
- Oda S., Tatarazako N., Dorgerloh M., Johnson R.D., Kusk K.O., Leverett D., Marchini S., Nakari T., Williams T., Iguchi T. (2006) Strain difference in sensitivity to 3,4-dichloroaniline and insect growth regulator, fenoxy carb, in Daphnia magna. Ecotoxicol. Environ. Safety, 67 (3), 399-405
- Oda S., Tatarazako N., Watanabe H., Morita M., Iguchi T. (2006) Genetic differences in the production of male neonates in Daphnia magna exposed to juvenile hormone analogs. Chemosphere, 63, 1477-1484
- Kamata, R., Takahashi, S., Shimizu, A., Morita, M., Shiraishi, F. (2006) In ovo exposure quail assay for risk assessment of endocrine disrupting chemicals. Arch. Toxicol., 80, 857-867
- Kamata, R., Takahashi, S., Shimizu, A., Shiraishi, F. (2006) Avian transgenerational reproductive toxicity test with in ovo exposure. Arch. Toxicol., 80, 846-856
- Sarkar P., Shiizaki K., Yonemoto J., Sone H. (2006) Activation of telomerase in BeWo cells by estrogen and 2,3,7,8-tetrachlorodibenzo-p-dioxin in co-operation with c-Myc. Int. J. Oncol. 28 (1):43-51.
- Jia G., Takahashi R., Zhang Z., Tsuji Y., Sone H. (2006) Aldo-keto reductase 1 family B7 is the gene induced in response to oxidative stress in the livers of Long-Evans Cinnamon rats. Int J Oncol. 29(4):829-38.
- Toyoshiba H., Sone H., Yamanaka T., Parham F.M., Irwin R.D., Boorman G.A., Portier C.J., (2006) Gene interaction

- network analysis suggests differences between high and low doses of acetaminophen. *Toxicol Appl Pharmacol.* 215 (3), 306-16.
- Hashimoto A.H., Amanuma K., Hiyoshi K., Sugawara Y., Goto S., Yanagisawa R., Takano H., Masumura K., Nohmi T., Aoki Y. (2007) Mutations in the lungs of gpt delta transgenic mice following inhalation of diesel exhaust. *Environ. Mol. Mutagen.*, 48 (8), 682-693
- Hashimoto A.H., Amanuma K., Hiyoshi K., Takano H., Masumura K.-i., Nohmi T., Aoki Y. (2006) In vivo mutagenesis in the lungs of gpt-delta transgenic mice treated intratracheally with 1,6-Dinitropyrene. *Environ. Mol. Mutagen.*, 47, 277-283
- Hirai N., Nanba A., Koshio M., Kondo T., Morita M., Tatarazako N. (2006) Feminization of Japanese medaka (*Oryzias latipes*) exposed to 17 β -estradiol: Effect of exposure period on spawning performance in sex-transformed females. *Aquatic Toxicol.*, 79, 288-295
- Hirai N., Nanba A., Koshio M., Kondo T., Morita M., Tatarazako N. (2006) Feminization of Japanese medaka(*Oryzias latipes*) exposed to 17 β -estradiol: Formation of testis-ova and sex-transformation during early-ontogeny. *Aquatic Toxicol.*, 77, 78-86
- Portier C.J., Toyoshiba H., Sone H., Parham F., Irwin R.D., Boorman G.A.. (2006) Comparative analysis of gene networks at multiple doses and time points in livers of rats exposed to acetaminophen. *ALTEX*, 23 Suppl, 380-4.
- 松本理, 青木康展 (2006) ベンチマークドース法を用いた1,2-ジクロロエタンの吸入曝露による発がんユニットリスクの算出. *大気環境学会誌*, 41 (4), 196-208
- Maruyama W., Aoki Y. (2006) Estimated cancer risk of dioxins to humans using a bioassay and physiologically based pharmacokinetic model. *Toxicol. Appl. Pharmacol.*, 214, 188-198

3.9.2 誌上発表(査読なし)(重点PG全体の件数: 78件)

- 岡本卓, 正田努 (2009) オカダトカゲの分布とその起源-伊豆半島に乗ってきたトカゲ-. 日本生態学会関東地区会会報, 58, 44-49
- 栗山武夫, 岡本卓, 長谷川雅美, 正田努, 五箇公一 (2009) 伊豆諸島八丈島へのニホントカゲの侵入. 爬虫両棲類学会報, 2009 (2), 124-127
- 松本幸雄, 松本理 (2009) 環境のリスク解析—化学物質の健康リスクの例. *Estrela*, (183), 14-19
- Sone H., Miyabara Y., Fukuda T., Okura M., Ohsako S., Yonemoto J. (2008) Does maternal exposure to 2378-tetrachlordibenzo-p-dioxin (TCDD) induce glutathione s-transferase-positive hepatic foci in adulr rats?. In: Persistent Organic Pollutants (POPs) Research in Asia, 257-261.
- 曾根秀子, 米元純三 (2008) 環境化学物質の子どもへの健康影響を探る—男児生殖器異常症のインフォマティクスを用いた疾患感受性遺伝子の探索, 一塩基多型 SNP を指標として. *Biophilia*, 4 (2), 25-29.
- 青木康展 (2007) 栄養と化学物質と健康の接点. *薬学雑誌*, 127 (3), 397-398
- 青木康展 (2006) 化学物質暴露の健康リスク評価と毒性発現メカニズム. *環境情報科学*, 34 (4), 24-29
- 青木康展 (2006) 組換え魚飼育管理の問題. *海洋と生物*, 28 (2), 158-163

3.9.3 書籍(重点PG全体の件数: 50件)

- Aoki Y., Hashimoto A.H., Amanuma K., Matsumoto M. (2010) Potency of air pollutants at DNA adduct formation and assessment by in vivo mutagenesis. In *DNA adduct formation, detection and mutagenesis*. (ed. Alvarez E. and Cunha R.) Nova Science Publishers. 143-153.
- 鎌迫典久 (2010) 廃液処理技術. 鮫島正浩監修, 次世代バイオエタノール生産の技術革新と事業展開, フロンティア出版, 183-191
- 鈴木規之 (2009) 環境リスク再考, 丸善, 150p
- 鈴木規之 (2009) 第11章 微量化学物質汚染に対する新たな取り組み. 日本水環境学会編, 日本の水環境行政,

ぎょうせい, 203-224

- Sone H., Imanishi S., Nagano R., Akanuma H., Fukuda T., Ohsako S. (2009) Gene expression signatures of environmental chemicals in cancer and in developmental disorders. In: Biophys.Soc.China(BSC)ed., 14th Biennial Meet. Soc. Free Radical Res .Int, Medimond S.r.l, 45-52
- Fujibuchi W., Kim H., Okada Y., Taniguchi T., Sone H. (2009) High-performance gene expression module analysis tool and its application to chemical toxicity data. In: Koga H.ed, Reverse Chemical Genetics: Methods and Protocols (Methods in Molecular Biology Vol.577), Humana Press, 577, 55-65
- 鑑迫典久 (2007) 3.4.11 環境ホルモン様物質曝露指標としてのビテロジエニン測定. 実験化学講座 20-2 環境化学(第5版)(日本化学会編, 丸善, 519p.), 475-478
- 青木康展 (2006) 環境中の化学物質と健康. 裳華房, 168p
- 青木康展 (2006) 第12章 環境リスク評価の対策. 環境衛生科学 (大沢基保, 内海英雄編, 南江堂, 439p.), 345-357
- 松本理、青木康展 (分担執筆) (2006) リスク学用語小辞典, 日本リスク研究学会編, 丸善
- 山崎邦彦 (2006) 7.4 農薬の環境リスク初期評価. 化学物質の生態リスク評価と規制—農薬編—(日本環境毒性学会監修, アイピーシー, 366p.), 290-294

3.9.4 口頭発表(重点PG全体の件数のみ: 693件)

国外: 169件

国内: 524件

3.9.5 特許等(重点PG全体の件数: 1件)

曾根秀子、永野麗子、大迫誠一郎、宮崎航、今西哲、赤沼宏美:「胎生プログラミングに対する影響を評価するための方法」、特願2009-081497